



Tube connector(Two-way)

■ APC Male Connector

							
Thread (PT)	Tube ϕ D(mm)						
M5	APC4-M5	APC6-M5	—	—	—	—	—
1/8	APC4-01	APC6-01	APC8-01	APC10-01	APC12-01	—	—
1/4	APC4-02	APC6-02	APC8-02	APC10-02	APC12-02	APC14-02	APC16-02
3/8	—	APC6-03	APC8-03	APC10-03	APC12-03	APC14-03	APC16-03
1/2	—	APC6-04	APC8-04	APC10-04	APC12-04	APC14-04	APC16-04

■ APCF Female Connector

							
Thread (PT)	Tube ϕ D(mm)						
	ϕ 4	ϕ 6	ϕ 8	ϕ 10	ϕ 12	ϕ 14	ϕ 16
M5	APCF4-M5	APCF6-M5	—	—	—	—	—
1/8	APCF4-01	APCF6-01	APCF8-01	APCF10-01	—	—	—
1/4	APCF4-02	APCF6-02	APCF8-02	APCF10-02	APCF12-02	APCF14-02	—
3/8	—	APCF6-03	APCF8-03	APCF10-03	APCF12-03	APCF14-03	APCF16-03
1/2	—	APCF6-04	APCF8-04	APCF10-04	APCF12-04	APCF14-04	APCF16-04


■ APM Bulkhead Union Connector

					
Model	Tube φ D(mm)	Thread (M)	Model	Tube φ D(mm)	Thread (M)
APM4	φ 4	M12 × 1	APM10	φ 10	M18 × 1
APM6	φ 6	M14 × 1	APM12	φ 12	M20 × 1
APM8	φ 8	M16 × 1			


■ APMF Bulkhead Female Connector

						
Thread (PT)	Tube Ø D(mm)					
M	M12 × 1	M14 × 1	M16 × 1	M18 × 1	M20 × 1	M26 × 1.5
M5	APMF4-M5	APMF6-M5	—	—	—	—
1/8	APMF4-01	APMF6-01	APMF8-01	APMF10-01	—	—
1/4	—	APMF6-02	APMF8-02	APMF10-02	APMF12-02	APMF16-02
3/8	—	APMF6-03	APMF8-03	APMF10-03	APMF12-03	APMF16-03
1/2	—	APMF6-04	APMF8-04	APMF10-04	APMF12-04	APMF16-04


■ APGJ Plug-In Reducer

					
Model	Tube ϕ D(mm)	Tube ϕ d(mm)	Model	Tube ϕ D(mm)	Tube ϕ d(mm)
APGJ6-4	ϕ 6	ϕ 4	APGJ10-8	ϕ 10	ϕ 8
APGJ8-4	ϕ 8	ϕ 4	APGJ12-6	ϕ 12	ϕ 6
APGJ8-6	ϕ 8	ϕ 6	APGJ12-8	ϕ 12	ϕ 8
APGJ10-6	ϕ 10	ϕ 6	APGJ12-10	ϕ 12	ϕ 10


■ APLF L Female Elbow Connector

							
Thread (PT)	Tube ϕ D(mm)						
	ϕ 4	ϕ 6	ϕ 8	ϕ 10	ϕ 12	ϕ 14	ϕ 16
M5	APLF4-M5	APLF6-M5	—	—	—	—	—
1/8	APLF4-01	APLF6-01	APLF8-01	APLF10-01	—	—	—
1/4	APLF4-02	APLF6-02	APLF8-02	APLF10-02	APLF12-02	APLF14-02	APLF16-02
3/8	—	APLF6-03	APLF8-03	APLF10-03	APLF12-03	APLF14-03	APLF16-03
1/2	—	APLF6-04	APLF8-04	APLF10-04	APLF12-04	APLF14-04	APLF16-04

■ APCS Plastic Male Connector


					
Thread (PT)	Tube φ D(mm)				
	φ 4	φ 6	φ 8	φ 10	φ 12
M5	APCS4-M5	APCS6-M5	—	—	—
1/8	APCS4-01	APCS6-01	APCS8-01	APCS10-01	—
1/4	APCS4-02	APCS6-02	APCS8-02	APCS10-02	APCS12-02
3/8	—	APCS6-03	APCS8-03	APCS10-03	APCS12-03
1/2	—	APCS6-04	APCS8-04	APCS10-04	APCS12-04

■ APPC Plastic Male Connector





Thread (PT)	Tube φ D(mm)				
	φ 4	φ 6	φ 8	φ 10	φ 12
1/8	APPC4-01	APPC6-01	APPC8-01	APPC10-01	—
1/4	APPC4-02	APPC6-02	APPC8-02	APPC10-02	APPC12-02
3/8	—	APPC6-03	APPC8-03	APPC10-03	APPC12-03
1/2	—	APPC6-04	APPC8-04	APPC10-04	APPC12-04


■ APG Reducer Connector

					
Model	Tube ϕ (mm)	Tube ϕ d(mm)	Model	Tube ϕ (mm)	Tube ϕ d(mm)
APG6-4	ϕ 6	ϕ 4	APG10-8	ϕ 10	ϕ 8
APG8-6	ϕ 8	ϕ 6	APG12-10	ϕ 12	ϕ 10


■ APLM Bulkhead Union Connector

			
Model	Tube ϕ D(mm)	Thread (M)	
APLM4-M12 $\times$ 1	ϕ 4	M12 $\times$ 1	
APLM6-M14 $\times$ 1	ϕ 6	M14 $\times$ 1	
APLM8-M16 $\times$ 1	ϕ 8	M16 $\times$ 1	
APLM10-M18 $\times$ 1	ϕ 10	M18 $\times$ 1	
APLM12-M20 $\times$ 1	ϕ 12	M20 $\times$ 1	

■ APU Union Straight

			
Model	Tube ϕ D(mm)	Model	Tube ϕ D(mm)
APU4	ϕ 4	APU10	ϕ 10
APU6	ϕ 6	APU12	ϕ 12
APU8	ϕ 8		

■ APH Male Banjo Connector

					
Thread (PT)	Tube ϕ D(mm)				
	ϕ 4	ϕ 6	ϕ 8	ϕ 10	ϕ 12
M5	APH4-M5	APH6-M5	—	—	—
1/8	APH4-01	APH6-01	APH8-01	APH10-01	—
1/4	APH4-02	APH6-02	APH8-02	APH10-02	APH12-02
3/8	—	APH6-03	APH8-03	APH10-03	APH12-03
1/2	—	APH6-04	APH8-04	APH10-04	APH12-04



Fitting


Accessories

Tube connector(Two-way)


■ APV L Union Elbow

			
---	--	--	--


■ APLS Elbow Connector

					
Thread (PT)	Tube Ø D(mm)				
	φ 4	φ 6	φ 8	φ 10	φ 12
M5	APLS4-M5	APLS6-M5	–	–	–
1/8	APLS4-01	APLS6-01	APLS8-01	APLS10-01	–
1/4	APLS4-02	APLS6-02	APLS8-02	APLS10-02	APLS12-02
3/8	–	APLS6-03	APLS8-03	APLS10-03	APLS12-03
1/2	–	APLS6-04	APLS8-04	APLS10-04	APLS12-04

■ APL L Male Elbow Connector

							
Thread (PT)	Tube Ø D(mm)						
	φ 4	φ 6	φ 8	φ 10	φ 12	φ 14	φ 16
M5	APL4-M5	APL6-M5	—	—	—	—	—
1/8	APL4-01	APL6-01	APL8-01	APL10-01	APL12-01	—	—
1/4	APL4-02	APL6-02	APL8-02	APL10-02	APL12-02	APL14-02	APL16-02
3/8	—	APL6-03	APL8-03	APL10-03	APL12-03	APL14-03	APL16-03
1/2	—	APL6-04	APL8-04	APL10-04	APL12-04	APL14-04	APL16-04


■ APLL L Extended Male Elbow Connector

							
Thread (PT)	Tube ϕ D(mm)						
	ϕ 4	ϕ 6	ϕ 8	ϕ 10	ϕ 12	ϕ 14	ϕ 16
M5	APLL4-M5	APLL6-M5	-	-	-	-	-
1/8	APLL4-01	APLL6-01	APLL8-01	APLL10-01	-	-	-
1/4	APLL4-02	APLL6-02	APLL8-02	APLL10-02	APLL12-02	APLL14-02	-
3/8	-	APLL6-03	APLL8-03	APLL10-03	APLL12-03	APLL14-03	APLL16-03
1/2	-	APLL6-04	APLL8-04	APLL10-04	APLL12-04	APLL14-04	APLL16-04


Accessories

Tube connector(Three-way)


■ APE T Union Tee

							
Model	APE4	APE6	APE8	APE10	APE12	APE14	APE16
Tube Φ D(mm)	ϕ 4	ϕ 6	ϕ 8	ϕ 10	ϕ 12	ϕ 14	ϕ 16

■ APW Y Reducer

					
Model		APW6-4	APW8-6	APW10-8	APW12-10
Tube	ΦD(mm)	φ 6	φ 8	φ 10	φ 12
	Φd(mm)	φ 4	φ 6	φ 8	φ 10

■ APHW F Double Universal Elbow Connector

				
Thread (PT)	Tube ϕ D(mm)			
	ϕ 6	ϕ 8	ϕ 10	ϕ 12
1/8	APHW6-01	APHW8-01	APHW10-01	—
1/4	APHW6-02	APHW8-02	APHW10-02	APHW12-02
3/8	—	APHW8-03	APHW10-03	APHW12-03


■ APY Y Union

					
Model	APY4	APY6	APY8	APY10	APY12
Tube Φ D(mm)	ϕ 4	ϕ 6	ϕ 8	ϕ 10	ϕ 12




Fitting


■ APEG T Different Union Tee

						
Model	APEG6-4	APEG8-6	APEG10-8	APEG12-10	APEG14-12	APEG16-14
Tube ΦD(mm)	Φ 6	Φ 8	Φ 10	Φ 12	Φ 14	Φ 16
Φd(mm)	Φ 4	Φ 6	Φ 8	Φ 10	Φ 12	Φ 14


■ APB T Male Branch Tee Connector

							
Thread (PT)	Tube ϕ D(mm)						
	ϕ 4	ϕ 6	ϕ 8	ϕ 10	ϕ 12	ϕ 14	ϕ 16
M5	APB4-M5	APB6-M5	—	—	—	—	—
1/8	APB4-01	APB6-01	APB8-01	APB10-01	APB12-01	—	—
1/4	APB4-02	APB6-02	APB8-02	APB10-02	APB12-02	APB14-02	APB16-02
3/8	—	APB6-03	APB8-03	APB10-03	APB12-03	APB14-03	APB16-03
1/2	—	APB6-04	APB8-04	APB10-04	APB12-04	APB14-04	APB16-04

■ APD T Male Run Tee Connector

							
Thread (PT)	Tube φ D(mm)						
	φ 4	φ 6	φ 8	φ 10	φ 12	φ 14	φ 16
M5	APD4-M5	APD6-M5	—	—	—	—	—
1/8	APD4-01	APD6-01	APD8-01	APD10-01	APD12-01	—	—
1/4	APD4-02	APD6-02	APD8-02	APD10-02	APD12-02	APD14-02	APD16-02
3/8	—	APD6-03	APD8-03	APD10-03	APD12-03	APD14-03	APD16-03
1/2	—	APD6-04	APD8-04	APD10-04	APD12-04	APD14-04	APD16-04


■ APEW T Different Union Tee

						
Model	APEW6-4	APEW8-6	APEW10-8	APEW12-10	APEW14-12	APEW16-14
Tube ΦD(mm)	Φ6	Φ8	Φ10	Φ12	Φ14	Φ16
Φd(mm)	Φ4	Φ6	Φ8	Φ10	Φ12	Φ14


Accessories

Tube connector(Three-way)

■ APX Y Connector

					
Thread (PT)	Tube φ D(mm)				
	φ 4	φ 6	φ 8	φ 10	φ 12
M5	APX4-M5	APX6-M5	—	—	—
1/8	APX4-01	APX6-01	APX8-01	APX10-01	—
1/4	APX4-02	APX6-02	APX8-02	APX10-02	APX12-02
3/8	—	APX6-03	APX8-03	APX10-03	APX12-03
1/2	—	APX6-04	APX8-04	APX10-04	APX12-04


■ APHF Female Banjo Connector

					
Thread (PT)	TUBE ΦD(MM)				
	Φ4	Φ6	Φ8	Φ10	Φ12
M5	APHF4-M5	APHF6-M5	—	—	—
1/8	APHF4-01	APHF6-01	APHF8-01	APHF10-01	APHF12-01
1/4	APHF4-02	APHF6-02	APHF8-02	APHF10-02	APHF12-02
3/8	—	APHF6-03	APHF8-03	APHF10-03	APHF12-03
1/2	—	APHF6-04	APHF8-04	APHF10-04	APHF12-04


Accessories

Tube connector(Multi-way)


■ APHZ Different Union Cross Connector

					
Model	APHZ6-4	APHZ8-6	APHZ10-8	APHZ12-10	
Tube ϕ D(mm)	ϕ 6	ϕ 8	ϕ 10	ϕ 12	
Tube ϕ d(mm)	ϕ 4	ϕ 6	ϕ 8	ϕ 10	


■ APKD Male Reducer Triple Branch Connector

					
Model	APKD6-4-01	APKD8-4-02	APKD8-6-02	APKD10-8-03	
Thread(PT)	1/8	1/4	1/4	3/8	
Tube ϕ D(mm)	ϕ 6	ϕ 8	ϕ 8	ϕ 10	
Tube ϕ d(mm)	ϕ 4	ϕ 4	ϕ 6	ϕ 8	


■ APK Triple Branch

					
Model	APK4	APK6	APK8	APK10	APK12
Tube ϕ D(mm)	ϕ 4	ϕ 6	ϕ 8	ϕ 10	ϕ 12


■ APKS Triple Branch Connector

					
Model	APKS4	APKS6	APKS8	APKS10	APKS12
Tube ϕ D(mm)	ϕ 4	ϕ 6	ϕ 8	ϕ 10	ϕ 12


■ APKB Male Triple Branch Connector

					
Thread (PT)	Tube ΦD(mm)				
	Φ 4	Φ 6	Φ 8	Φ 10	Φ 12
M5	APKB4-M5	APKB6-M5	—	—	—
1/8	APKB4-01	APKB6-01	APKB8-01	APKB10-01	—
1/4	APKB4-02	APKB6-02	APKB8-02	APKB10-02	APKB12-02
3/8	—	APKB6-03	APKB8-03	APKB10-03	APKB12-03
1/2	—	APKB6-04	APKB8-04	APKB10-04	APKB12-04


■ APKG Reducer Triple Branch Union

					
Model	APKG6-4	APKG8-6	APKG10-8	APKG12-10	APKG16-12
Tube ϕ D(mm)	ϕ 6	ϕ 8	ϕ 10	ϕ 12	ϕ 16
Tube ϕ d(mm)	ϕ 4	ϕ 6	ϕ 8	ϕ 10	ϕ 12


■ APZR Male Tytype Branch Connector

					
Thread (PT)	Tube ϕ D(mm)				
	ϕ 6	ϕ 8	ϕ 10		
1/8	APZR6-01	APZR8-01	—		
1/4	APZR6-02	APZR8-02	APZR10-02		
3/8	APZR6-03	APZR8-03	APZR10-03		
1/2	APZR6-04	APZR8-04	APZR10-04		

■ APZA Union Cross

					
Model	APZA4	APZA6	APZA8	APZA10	APZA12
Tube ϕ D(mm)	ϕ 4	ϕ 6	ϕ 8	ϕ 10	ϕ 12

■ AFD Four Branch Connector

					
Model	AFD4	AFD6	AFD8	AFD10	AFD12
Tube ϕ D(mm)	ϕ 4	ϕ 6	ϕ 8	ϕ 10	ϕ 12



Fitting

Silencer and visual indicator

BESL Throttle Silencer



Model	BESL-01	BESL-02	BESL-03	BESL-04	BESL-06
Thread(PT)	1/8	1/4	3/8	1/2	3/4

BSL Brass Silencer



Model	BSL-M5	BSL-01	BSL-02	BSL-03	BSL-04	BSL-06	BSL-10	BSL-12	BSL-14
Thread (PT)	M5	1/8	1/4	3/8	1/2	3/4	1	G11/4	G11/2

BSLM Brass Silencer Flat



Model	BSLM-01	BSLM-02	BSLM-03	BSLM-04	BSLM-06
Thread (PT)	1/8	1/4	3/8	1/2	3/4

PAL Plastic Silencer(Porous Polyethene)



Model	PAL-01	PAL-02	PAL-03	PAL-04	PAL-06
Thread (PT)	1/8	1/4	3/8	1/2	3/4

PSL Plastic Silencer(Sintered)




Model	PSL-01	PSL-02	PSL-03	PSL-04	PSL-06
Thread (PT)	1/8	1/4	3/8	1/2	3/4

PSU Plastic Silencer



Model	PSU-01	PSU-02	PSU-03	PSU-04
Thread (PT)	1/8	1/4	3/8	1/2

APP Plug



Model	APP4	APP6	APP8	APP10	APP12	APP16
Tube ϕ D (mm)	ϕ 4	ϕ 6	ϕ 8	ϕ 10	ϕ 12	ϕ 16

APF Tube cap



Model	APF4	APF6	APF8	APF10	APF12	APF16
Tube ϕ D (mm)	ϕ 4	ϕ 6	ϕ 8	ϕ 10	ϕ 12	ϕ 16

Visual indicator



VIS001 — 04 A		
Model	VIS001: Visual indicator	
Port size	04: M5 $\times$ 0.8 06: 1/8"	
Unactuated-Actuated colour		A: red-green B: green-red

Specification

Model	VIS001-04	VIS001-06
Media	Compressed air	
Port size code	04	06
Port size	M5 $\times$ 0.8	1/8"
Operating pressure	Full actuation	0.05-0.7MPa(7-100psi)
	Full de-actuation	0-0.015MPa(0-2psi)
Mounting	Panel	

Remarks: Mounting panel-hole ϕ 31mm, thickness less than 9mm.

Hand valves(Two-way/Three-way series)

Specification

Fluid	Pressure range		Proof pressure		Temperature (°C)	Tube material
	MPa	psi	MPa	psi		
Air	0~1.02	0~145	1.53	218	-5~60	Nylon and Polyurethane

Ordering code

AHVFF 04 — 04B

Model

In-Let type

Out-Let type


AHVSF: Thread-Fitting Straight
 AHVFS: Fitting-Thread Straight
 AHVFF: Union Straight
 AHVSS: Thread-Thread Straight

Symbol




Dimensions

AHVSF




Thread (PT)		1/8	1/4	3/8	1/2
Tube φ D (mm)	φ 6	Two-way AHVSF06-01B	AHVSF06-02B	AHVSF06-03B	-
		Three-way AHVSF06-01	AHVSF06-02	AHVSF06-03	-
	φ 8	Two-way AHVSF08-01B	AHVSF08-02B	AHVSF08-03B	-
		Three-way AHVSF08-01	AHVSF08-02	AHVSF08-03	-
	φ 10	Two-way -	AHVSF10-02B	AHVSF10-03B	AHVSF10-04B
		Three-way -	AHVSF10-02	AHVSF10-03	AHVSF10-04
φ 12	Two-way -	AHVSF10-02B	AHVSF12-03B	AHVSF12-04B	
	Three-way -	AHVSF10-02	AHVSF12-03	AHVSF12-04	

AHVFS




Thread(PT)		1/8	1/4	3/8	1/2
Tube φ D (mm)	φ 6	Two-way AHVFS06-01B	AHVFS06-02B	AHVFS06-03B	-
		Three-way AHVFS06-01	AHVFS06-02	AHVFS06-03	-
	φ 8	Two-way AHVFS08-01B	AHVFS08-02B	AHVFS08-03B	-
		Three-way AHVFS08-01	AHVFS08-02	AHVFS08-03	-
	φ 10	Two-way -	AHVFS10-02B	AHVFS10-03B	AHVFS10-04B
		Three-way -	AHVFS10-02	AHVFS10-03	AHVFS10-04
φ 12	Two-way -	AHVFS10-02B	AHVFS12-03B	AHVFS12-04B	
	Three-way -	AHVFS10-02	AHVFS12-03	AHVFS12-04	

AHVFF



Model	Two-way		Model	Three-way	
	φ D	φ d		φ D	φ d
AHVFF04-04B	4	4	AHVFF04-04	4	4
AHVFF06-04B	6	4	AHVFF06-04	6	4
AHVFF06-06B	6	6	AHVFF06-06	6	6
AHVFF08-06B	8	6	AHVFF08-06	8	6
AHVFF08-08B	8	8	AHVFF08-08	8	8
AHVFF10-10B	10	10	AHVFF10-10	10	10
AHVFF12-10B	12	10	AHVFF12-10	12	10
AHVFF12-12B	12	12	AHVFF12-12	12	12

AHVSS



Model	Two-way		Model	Three-way	
	Thread			Thread	
	PT	PT'		PT	PT'
AHVSS01-01B	1/8	1/8	AHVSS01-01	1/8	1/8
AHVSS02-01B	1/4	1/8	AHVSS02-01	1/4	1/8
AHVSS02-02B	1/4	1/4	AHVSS02-02	1/4	1/4
AHVSS03-02B	3/8	1/4	AHVSS03-02	3/8	1/4
AHVSS03-03B	3/8	3/8	AHVSS03-03	3/8	3/8
AHVSS04-03B	1/2	3/8	AHVSS04-03	1/2	3/8
AHVSS04-04B	1/2	1/2	AHVSS04-04	1/2	1/2



Hand valve

Polyurethane re-coil hosepart

Speed controllers

■ Specification

Fluid	Pressure range		Proof pressure		Temperature (°C)	Tube material
	MPa	psi	MPa	psi		
Air	0~1.02	0~145	1.53	218	-5~60	Nylon and Polyurethane

■ Ordering code

ASL	8	—	02	B
-----	---	---	----	---

Model
ASA: Union Straight
ASL: (L)Elbow Style
AJSS: Universal Style
APA: With One-Touch Fittings
APAM: With One-Touch Bulkhead Fittings

Tube

Thread

Flow control way

Blank: Out flow control
B: In flow control

■ Symbol



■ Dimensions

Model	Tube φ D(mm)
ASA4	φ 4
ASA6	φ 6
ASA8	φ 8
ASA10	φ 10
ASA12	φ 12

Model	Tube φ D(mm)
APA6	φ 6
APA8	φ 8
APA10	φ 10

Model	Tube φ D(mm)	Thread (M)
APAM6	φ 6	M12 × 1
APAM8	φ 8	M12 × 1
APAM10	φ 10	M18 × 1

Tube(mm)	φ 6	φ 8	φ 10	φ 12
1/8	AJSS6-01	AJSS8-01	—	—
1/4	AJSS6-02	AJSS8-02	AJSS10-02	AJSS12-02
3/8	—	—	AJSS10-03	AJSS12-03

Tube(mm)	φ 4	φ 6	φ 8	φ 10	φ 12
M5	ASL4-M5	ASL6-M5	—	—	—
1/8	ASL4-01	ASL6-01	ASL8-01	ASL10-01	—
1/4	ASL4-02	ASL6-02	ASL8-02	ASL10-02	ASL12-02
3/8	—	ASL6-03	ASL8-03	ASL10-03	ASL12-03
1/2	—	ASL6-04	ASL8-04	ASL10-04	ASL12-04

Tube(mm)	φ 4	φ 6	φ 8	φ 10	φ 12
M5	ASL4-M5B	ASL6-M5B	—	—	—
1/8	ASL4-01B	ASL6-01B	ASL8-01B	ASL10-01B	—
1/4	ASL4-02B	ASL6-02B	ASL8-02B	ASL10-02B	ASL12-02B
3/8	—	ASL6-03B	ASL8-03B	ASL10-03B	ASL12-03B
1/2	—	ASL6-04B	ASL8-04B	ASL10-04B	ASL12-04B



Speed controllers