













## BMRX & MAXIMA+ ROTARY LEVEL INDICATORS

	<i>Light Material (1 - 35 lbs/ft<sup>3</sup>)</i>	<i>Medium Material (35 - 60 lbs/ft<sup>3</sup>)</i>	<i>Heavy Material (&gt;60 lbs/ft<sup>3</sup>)</i>	<i>Stainless Steel</i>	<i>Nylon</i>	<i>Insertable</i>	<i>Direct Connect</i>	<i>3-Vane</i>	<i>Single-Vane</i>
<b>GRP - 1</b>	●			●				●	
<b>GRP - 2</b>		●		●				●	
<b>GRP - 3</b>			●	●					●
<b>GRP - 11</b>	●				●			●	
<b>GRP - 12</b>		●			●			●	
<b>GRP - 22</b>			●	●				●	
<b>GRP - 23</b>		●		●		●			●
<b>GRP - 24</b>			●						●
<b>GRP - 25</b>	●			●				●	
<b>GRP - 26</b>	●			●			●	●	
<b>GRP - 27</b>		●		●		●	●		●
<b>GRP - 28</b>	●			●				●	
<b>GRP - 29</b>	●			●			●	●	
<b>GRP - 30</b>		●		●			●	●	
<b>GRP - 31</b>			●	●					●
<b>GRP - 34</b>		●	●	●		●	●		●
<b>GRP - 35</b>		●	●	●		●	●		
<b>GRP - 36</b>		●	●	●		●			●
<b>GRP - 37</b>		●	●	●		●			



# ROTARY PADDLE SELECTION GUIDE

 <p><b>GRP - 1</b></p>	<ul style="list-style-type: none"> <li>• Stainless Steel</li> <li>• For Light Materials</li> <li>• 3-Vane Paddle</li> <li>• 7" Diameter</li> <li>• Must be used with a Coupler</li> </ul>	 <p><b>GRP - 22</b></p>	<ul style="list-style-type: none"> <li>• Stainless Steel</li> <li>• For Heavy Materials</li> <li>• 3-Vane Paddle</li> <li>• 5" Diameter</li> <li>• Must be used with a Coupler</li> </ul>
 <p><b>GRP - 2</b></p>	<ul style="list-style-type: none"> <li>• Stainless Steel</li> <li>• For Medium Materials</li> <li>• 3-Vane Paddle</li> <li>• 5" Diameter</li> <li>• Must be used with a Coupler</li> </ul>	 <p><b>GRP - 23</b></p>	<ul style="list-style-type: none"> <li>• Insertable through a 1-1/4" or 1-1/2" NPT Opening</li> <li>• Stainless Steel</li> <li>• For Medium Materials</li> <li>• Single Bayonet Style</li> <li>• Turns in 5" Diameter</li> <li>• Must be used with a Coupler</li> </ul>
 <p><b>GRP - 3</b></p>	<ul style="list-style-type: none"> <li>• Insertable through a 1-1/4" or 1-1/2" NPT Opening</li> <li>• Stainless Steel</li> <li>• For Heavy Materials</li> <li>• Single Vane</li> <li>• Turns in 5" Diameter</li> <li>• Must be used with a Coupler</li> </ul>	 <p><b>GRP - 24</b></p>	<ul style="list-style-type: none"> <li>• 12" Belt Paddle</li> <li>• For Heavy Materials</li> <li>• Used in Large Particulate Size (Rock, Coal, or Aggregate)</li> <li>• Must be used with a Coupler</li> </ul>
 <p><b>GRP - 11</b></p>	<ul style="list-style-type: none"> <li>• Economical, Nylon Paddle</li> <li>• For Light Materials</li> <li>• 3-Vane Paddle</li> <li>• 7" Diameter</li> <li>• Must be used with a Coupler</li> </ul>	 <p><b>GRP - 25</b></p>	<ul style="list-style-type: none"> <li>• Stainless Steel</li> <li>• For Very Light Materials</li> <li>• 3-Vane Paddle</li> <li>• Paddles are 5" Tall &amp; 1/16" Thick to Increase Resistance in Light Materials</li> <li>• Must be used with a Coupler</li> </ul>
 <p><b>GRP - 12</b></p>	<ul style="list-style-type: none"> <li>• Economical, Nylon Paddle</li> <li>• For Medium Materials</li> <li>• 3-Vane Paddle</li> <li>• 5" Diameter</li> <li>• Must be used with a Coupler</li> </ul>	 <p><b>GRP - 26</b></p>	<ul style="list-style-type: none"> <li>• Direct Connect Version of GRP-1</li> <li>• Does Not Require Coupler</li> <li>• Should be Used for Side-Mount ONLY</li> <li>• For Light Materials</li> <li>• 3-Vane Paddle, SS</li> <li>• 7" Diameter, 2" Blade Width</li> </ul>



# ROTARY PADDLE SELECTION GUIDE

 <p><b>GRP - 27</b></p>	<ul style="list-style-type: none"> <li>• Direct Connect Version of GRP-23</li> <li>• Does Not Require Use of Coupler</li> <li>• Should be used for Side-Mount <b>ONLY</b></li> <li>• For Medium Materials</li> <li>• Insertable, Bayonet Style SS</li> <li>• Blade 1/8" Thick, 1" W</li> </ul>	 <p><b>GRP - 34</b></p>	<ul style="list-style-type: none"> <li>• Single Blade, Insertable Paddle</li> <li>• Folds to Insert Through a 1-1/4" or 1-1/2" NPT Opening</li> <li>• Stainless Steel</li> <li>• Turns in 7-1/2" Dia</li> <li>• Paddle Blades 1-1/2" W</li> <li>• Direct Connect, Eliminates Need for Shaft Coupler</li> </ul>
 <p><b>GRP - 28</b></p>	<ul style="list-style-type: none"> <li>• For Very Light Materials</li> <li>• 3-Vane Paddle, SS</li> <li>• 7" Diameter for Added Resistance</li> <li>• Blades 5" H and 1/16" Thick to Increase Resistance</li> <li>• Must be used with a Coupler</li> </ul>	 <p><b>GRP - 35</b></p>	<ul style="list-style-type: none"> <li>• Double Blade, Insertable Paddle</li> <li>• Folds to Insert Through a 1-1/4" or 1-1/2" NPT Opening</li> <li>• Stainless Steel</li> <li>• Turns in 7-1/2" Dia</li> <li>• Paddle Blades 1-1/2" W</li> <li>• Direct Connect, Eliminates Need for Shaft Coupler</li> </ul>
 <p><b>GRP - 29</b></p>	<ul style="list-style-type: none"> <li>• Direct Connect Version of GRP-25</li> <li>• Does Not Require Use of Coupler</li> <li>• Should be used for Side-Mount <b>ONLY</b></li> <li>• 3-Vane Paddle, SS</li> <li>• For Very Light Materials</li> <li>• Paddles are 5" H and 1/16" Thick to Increase Resistance</li> </ul>	 <p><b>GRP - 36</b></p>	<ul style="list-style-type: none"> <li>• Single Blade, Insertable Paddle</li> <li>• Folds to Insert Through a 1-1/4" or 1-1/2" NPT Opening</li> <li>• Stainless Steel</li> <li>• Turns in 7-1/2" Dia</li> <li>• Paddle Blades 1-1/2" W</li> <li>• Requires Shaft Coupler</li> </ul>
 <p><b>GRP - 30</b></p>	<ul style="list-style-type: none"> <li>• Direct Connect Version of GRP-2</li> <li>• Does Not Require Use of Coupler</li> <li>• Should be used for Side-Mount <b>ONLY</b></li> <li>• For Medium Materials</li> <li>• 3-Vane Paddle, SS</li> <li>• 5" Diameter</li> </ul>	 <p><b>GRP - 37</b></p>	<ul style="list-style-type: none"> <li>• Double Blade, Insertable Paddle</li> <li>• Folds to Insert Through a 1-1/4" or 1-1/2" NPT Opening</li> <li>• Stainless Steel</li> <li>• Turns in 7-1/2" Dia</li> <li>• Paddle Blades 1-1/2" W</li> <li>• Requires Shaft Coupler</li> </ul>
 <p><b>GRP - 31</b></p>	<ul style="list-style-type: none"> <li>• Single Blade</li> <li>• Stainless Steel</li> <li>• 3-1/4" L for Heavy Materials</li> <li>• Turns in 6-1/2" Dia</li> <li>• Blade is 1/8" Thick and 1.63" W</li> <li>• Must be Used with Coupler</li> </ul>	<p>Master Distributor</p> <p><b>AIRMATICS<sup>®</sup> INC</b></p> <p>...HELPING PRODUCERS EXCEL!<sup>®</sup></p>	

WHO WE ARE WHAT WE DO

**BINMASTER**  
MEASURE • CONTROL • DETECT



**BINMASTER**

Established in 1953, BINMASTER® is an ISO-certified company that designs and manufactures reliable, solid-state point, continuous bin level indicator and control systems, and sensing devices used while storing or processing powder and bulk solids such as cement and aggregates, chemicals, feed and grain, food, plastics, biofuels, pharmaceuticals, pulp and paper, and wood products.

**AIRMATIC**®  
INC  
...HELPING PRODUCERS EXCEL!®

AIRMATIC INC, founded in 1944, is a woman-owned Industrial Distributor, with installation and maintenance capabilities, offering equipment, machinery, and shop supplies to the Industrial, Construction, Utility, Government, and Commercial Markets. Our products and services are sold through three business units: The **MATERIALS MANAGEMENT GROUP** provides products and services to industries that convey, store, transport, and process powders and bulk solids — from aggregates, cement, and chemicals to foods, grains, metals, power generation, and waste water treatment applications; The **TOOL GROUP** provides power tools, personal protective equipment, materials-handling equipment, shop equipment and MRO supplies used for production, fabrication, assembly, metal removal, maintenance, and storage in manufacturing, construction, utility, and commercial applications; The **SERVICE GROUP** provides fabrication, installation, and maintenance services to improve belt conveyor efficiency; mechanical clean-out services for silos and hoppers to eliminate material flow problems; and shop modifications and repair services of products sold by the Company. Our Customers tell us that by choosing AIRMATIC to solve their problems, they gain increased productivity, decreased costs, and a safer, cleaner work environment.

Master Distributor

**AIRMATIC**®  
INC

Ph: 800.332.9770

Fx: 888.964.3866

...HELPING PRODUCERS EXCEL!

[www.airmatic.com](http://www.airmatic.com)

284 Three Tun Rd Malvern, PA 19355-3981