

**Accessories**  
**CB 98/2.5 NATUR**

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 16  
D-32758 Detmold  
Germany  
Fon: +49 5231 14-0  
Fax: +49 5231 14-292083  
www.weidmueller.com



CB cable ties for the fastening of cables and markers.

- They are particularly suitable for fastening CLI M, SFX, WKM and WKS cable markers
- IEC 62275: 2006-conformant
- Fracture-resistant polyamide PA 6.6 with flammability rating V2 to UL-94

**General ordering data**

Type	CB 98/2.5 NATUR
Order No.	<a href="#">7940006690</a>
Version	Cable ties, Height x width: 100 x 2.5 mm, Polyamide 66, 80 N
GTIN (EAN)	4032248520022
Qty.	1,000 pc(s).

## Data sheet

### Accessories CB 98/2.5 NATUR

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 16  
 D-32758 Detmold  
 Germany  
 Fon: +49 5231 14-0  
 Fax: +49 5231 14-292083  
 www.weidmueller.com

## Technical data

### Dimensions and weights

Width	2.5 mm	Width (inches)	0.098 inch
Height	100 mm	Height (inches)	3.937 inch
Depth	1 mm	Depth (inches)	0.039 inch
Net weight	0.24 g		

### Installation materials

Cable diameter, max.	25 mm	Material	Polyamide 66
Operating temperature range, max.	100 °C	Operating temperature range, min.	-40 °C
UL 94 flammability rating	V-2		

### Classifications

ETIM 3.0	EC000046	ETIM 4.0	EC000046
ETIM 5.0	EC000046	ETIM 6.0	EC000046
UNSPSC	30-21-18-01	eClass 5.1	27-14-07-02
eClass 6.2	27-14-07-02	eClass 7.1	27-14-07-02
eClass 8.1	27-14-07-02	eClass 9.0	27-14-07-02
eClass 9.1	27-14-07-02		

### Approvals

ROHS	Conform
------	---------

### Downloads

Approval/Certificate/Document of Conformity	<a href="#">DE PI830000160627_002</a>
Engineering Data	<a href="#">EPLAN_WSCAD</a>

**Data sheet**

**Accessories  
CB 98/2.5 NATUR**

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 16  
D-32758 Detmold  
Germany  
Fon: +49 5231 14-0  
Fax: +49 5231 14-292083  
[www.weidmueller.com](http://www.weidmueller.com)

**Drawings**

**Drawing**

